



Electrostatic forces on the LISA Pathfinder test masses

Interaction of test mass charge with stray electric fields

Peter Wass

LISA Pathfinder collaboration

GP-B

Electrostatic forces from
patch potentials had
major impact on
science

Rev.Sci.Inst. 82 074502 (2011) Buchman & Turneaure

Image credit: Katherine Stephenson, Stanford
University and Lockheed Martin Corporation



Image credit NASA


The problem



$$F_x \approx -\frac{1}{2} \sum_x \left| \frac{\partial C_x}{\partial x} \right| \frac{\partial q_{xi}}{\partial x_{tot}} (V_i - V_{TM})^2$$


x

Patch potentials,
Electronics



Test mass
charging

Charge noise




Predictions using GEANT4

25 e/s/√Hz


Wass et al CQG 22 (2005) S311

Araujo et al Astropart.Phys 22 (2005) 451



$$\Delta_g = -\frac{1}{m} \left| \frac{\partial C_x}{\partial x} \right| \left(\frac{q_1}{C_{\text{tot}}} V_{\text{mod}} \sin \omega_1 t + \frac{q_2}{C_{\text{tot}}} V_{\text{mod}} \sin \omega_2 t \right)$$

Charge noise




Current Shot noise

$$S_q = \frac{S_i}{(2\pi f^2)}$$


TM1: $46 \pm 2 \text{e/s}/\sqrt{\text{Hz}}$

TM2: $52 \pm 2 \text{e/s}/\sqrt{\text{Hz}}$

First measurement...
2x higher than predicted





Stray potentials



$$\frac{d\Delta_g}{dq_n} = -\frac{1}{m} \left| \frac{\partial C_x}{\partial x} \right| \frac{1}{C_{\text{tot}}} (\Delta_{xn} + 4V_{\text{comp}})$$

Demonstrated on ground eg
Phys.Rev.Lett 108 181101 (2012) Antonucci et al





Stray potentials

DC stray potentials TM1 $\Delta_x = 21 \pm 0.2$ mV

TM2 $\Delta_x = 0 \pm 0.2$ mV

In-line with ground-based measurements

Compensated TM1: -3.0 ± 1.0 mV ... -3.1 ± 0.7 mV (45 days later)


TM2: -0.6 ± 0.4 mV ... $+1.1 \pm 0.4$ mV (45 days later)


Stable over long timescales


With $\Delta_x \sim 3$ mV, $S_{\Delta g} \sim 0.23$ fm s⁻² Hz^{-1/2} at 0.1mHz

Noise budget contribution well within requirements

Stray potential fluctuations







Charge control



Environmental charge rate $\sim 20\text{e/s}$

Periodic discharging achieved with UV lamps

Target V_{TM} achieved $< 1\text{mV}$ ($< 50\text{fC}$, $2 \times 10^5 \text{e}$)

$V_{TM} < 40\text{mV}$ (1.4pC $8.5 \times 10^6 \text{e}$)

$S_{\Delta g} \sim 1.6 \text{ fm s}^{-2} \text{ Hz}^{-1/2}$ at 0.1mHz with
rms $V_{TM} 40\text{mV}$

Lower with improved electronics/
continuous discharging

Posters: Daniel Hollington (UV LEDs)
Davor Mance (FEE)




Image: ESA/ATG medialab

Conclusions



In-band fluctuations of test mass potential, patch potentials and electrode voltages

Well within noise budget for LISA at 0.1mHz,

We know how to do better

Electrostatics not a limiting factor for LISA or future gradiometers with large TMs and mm gaps